


HARNETT COUNTY  
BOARD OF ADJUSTMENTS

October 11<sup>th</sup>, 2021

Staff Contact: Sarah Arbour, Planner I  
(910) 814-6414 or Sarbour@harnett.org

**CASE NUMBER:** BOA2109-0002  
**APPLICANT:** Tabettha Burgess  
**OWNER:** Wendy Kelly Yarborough & Holly Leigh Burgess  
**LOCATION:** 7263 US 421 N Lillington, NC 27546  
**ZONING:** RA-30                      **ACREAGE:** 10.25 +/-                      **PIN:** 0610-77-5737.000  
**Request:** Special Use Permit for a Single Section Manufactured Home in the RA-30 Zoning District

**MAP**



**PHYSICAL CHARACTERISTICS**

- The parcel is currently vacant.
- Surrounding land uses consist of residential, agricultural and business activities.
- Public water and private septic will be utilized.

## **TRANSPORTATION:**

- Sight distances are good along US 421 N.
- Traffic counts for this section of US 421 N. are 7,5000 annual average daily trips.

## **BACKGROUND:**

- This project will be required to obtain all permits through Central Permitting.

## **COUNTY UDO USE REGULATIONS:**

### **RA-30 Zoning District**

#### RA-30 Zoning District

All requirements or conditions shall be met prior to issuance of a Certificate of Occupancy (CO) for the home.

A. The structure shall be built to the HUD code for manufactured homes.

B. The structure shall have an a-pitched roof that is covered with material commonly used in standard residential roofing construction. Said material shall be installed properly and be consistent in appearance.

C. The structure shall have underpinning consisting of a brick curtain wall or have galvanized metal sheeting, ABS, or PVC plastic color skirting with interlocking edges, installed around the perimeter of the home. Skirting shall be consistent in appearance, in good condition, continuous, permanent, and unpierced except for ventilation and access.

1. In cases where the proposed home is located in Flood Zone AE, the home shall be located on a masonry foundation only, with approved flood vents or breakaway skirting. See "Flood Damage Prevention" Section of this Ordinance for more information.

D. The exterior siding shall consist predominantly of vinyl, aluminum, wood or hardboard; and shall be comparable in composition, appearance, and durability to the exterior siding commonly used in standard residential construction. Said exterior siding shall be in good condition, complete, and not damaged or loose.

E. The tongue or towing device shall be removed or landscaped.



**SITE PHOTOS**

**Site**



**Road View**



**Across Road**



**Road View**

